



HYUNDAI

NEW THINKING.
NEW POSSIBILITIES

HYUNDAI ACCENT HATCH

HATCH BACK

- 1.6 FLUID 6 Speed Manual
- 1.6 FLUID 4 Speed Automatic



HYUNDAI | NEW THINKING.
NEW POSSIBILITIES.



THE HYUNDAI ACCENT HATCH

SPECS AND PRICE

NEW THINKING. NEW POSSIBILITIES

Accent Hatch

Accent 1.6 Fluid
5 Door Hatch
Petrol
6-spd Manual

Accent 1.6 Fluid
5 Door Hatch
Petrol
4-spd Automatic

ENGINE

General Data			
	Displacement (cc)	1 591	1 591
	Bore x Stroke (mm)	77 X 85.44	77 X 85.44
	Compression Ratio	10.5 : 1	10.5 : 1
	Max. Power (Kw @ rpm)	91 @ 6 300	91 @ 6 300
	Max. Torque (Nm @ rpm)	156 @ 4 200	156 @ 4 200
Number of Cylinders		4	4
Cylinder Block		Aluminium	Aluminium
Cylinder Head		Aluminium	Aluminium
Timing Chain		Silent Timing Chain	Silent Timing Chain
Valve System		D-CVVT , 16 Valve	D-CVVT , 16 Valve
Cam System		DOHC	DOHC
Fuel System		Returnless Multi-point electronic fuel injection	Returnless Multi-point electronic fuel injection
Fuel Type		High Octane Petrol	High Octane Petrol
Fuel Tank (L)		43	43
Lubricant Oil Capacity (L)		3,3	3,3
Cooling Fluid Capacity (L)		5,3	5,3
Electrical System			
	Battery	45 AH	45 AH
	Alternator	13.5V 90A	13.5V 90A
	Starter	12V 0.9Kw	12V 0.9Kw
TRANSMISSION			
Drive Type		Front Wheel Drive	Front Wheel Drive
Transmission Type		6-Speed Manual	4-Speed H-Matic Automatic
Gear Ratio			
	1st	3,769	2,919
	2nd	2,045	1,551
	3rd	1,370	1,000
	4th	1,036	0,713
	5th	0,893	-
	6th	0,774	-
	Reverse	3,700	2,480
	Final	4,059	3,849
Eco Drive shift indicator		Standard	-

Accent Hatch

Accent 1.6 Fluid
5 Door Hatch
Petrol
6-spd Manual

Accent 1.6 Fluid
5 Door Hatch
Petrol
4-spd Automatic

Shift Lock System	-	Electronic Type
Clutch Type	Ø 210mm Dry single plate with diaphragm spring - Push Type	Ø 225mm Torque Converter
Lubricant Capacity (L)	1,9	6,8
VEHICLE PERFORMANCE		
Max Speed (kph)	190	184
Acceleration (sec)		
0 → 100 kph	10,2	11,4
Braking (m)		
100 → 0 kph	43,0	43,0
Coefficient of Drag	0,30	0,30
FUEL CONSUMPTION (European testing)		
Combined Cycle	Litres / 100 km	
	6,4	6,8
CO2 EMISSIONS (European testing)		
Combined Cycle	g/km	
	152	161
SUSPENSION		
Front	McPherson type strut with stabilizer bar and Coil Springs	McPherson type strut with stabilizer bar and Coil Springs
Rear	Coupled Torsion beam axle with coil spring and gas shock absorber	Coupled Torsion beam axle with coil spring and gas shock absorber
Shock Absorbers	Front	Gas Filled High Performance Damper
	Rear	Gas Filled High Performance Damper
STEERING		
Steering Wheel Description	3 Spoke steering wheel with Airbag	3 Spoke steering wheel with Airbag
Steering Type	Rack & Pinion with Collapsible universal joint & column	Rack & Pinion with Collapsible universal joint & column
Power Assisted	Motor Driven Power Assisted Steering system	Motor Driven Power Assisted Steering system
Steering Column Adjustment	Tilt	Tilt

Accent Hatch

Accent 1.6 Fluid
5 Door Hatch
Petrol
6-spd Manual

Accent 1.6 Fluid
5 Door Hatch
Petrol
4-spd Automatic

Steering Wheel Finish	Poly Urethane	Poly Urethane
Steering Wheel Multifunction Controls	Audio Control	Standard
	Bluetooth	Standard
Steering Wheel Turns (lock to lock)	2,90	2,90
Min. Turning Radius (m)	5,20	5,20

WHEELS & TYRES

Wheel Type	Alloy Rim 5.5J x 16	Alloy Rim 5.5J x 16	
Tyre Size	Front	195/50 R16"	
	Rear	195/50 R16"	
	Spare	195/50 R16"	
Spare Tyre Location	Located on the cargo floor	Located on the cargo floor	
Tyre Pressure (Kpa):	Front	Unladen	220
		Laden	220
	Rear	Unladen	220
		Laden	220
	Spare	220	220

BRAKES

Front Brake Type	Ø 256mm Ventilated Disc, Floating-calliper brakes	Ø 256mm Ventilated Disc, Floating-calliper brakes
Rear Brake Type	Ø 262mm Solid Disc, Floating-calliper brake	Ø 262mm Solid Disc, Floating-calliper brake
Brake Booster	9" Single	9" Single
Boost Ratio	7 : 1	7 : 1
Park Brake	Floor mount cable type on rear wheels - BIR (Ball in Ramp)	Floor mount cable type on rear wheels - BIR (Ball in Ramp)
ABS (Anti-Lock Breaking System)	4-Wheel electronic, 4-Channel 4-Sensor ABS	4-Wheel electronic, 4-Channel 4-Sensor ABS
EBD (Electronic Brake Force Distribution)	Standard	Standard

WEIGHT (kg)

Vehicle		
Curb / Tare	1 035	1 060

Accent Hatch

Accent 1.6 Fluid
5 Door Hatch
Petrol
6-spd Manual

Accent 1.6 Fluid
5 Door Hatch
Petrol
4-spd Automatic

	Gross Vehicle Mass (GVM)	1 560	1 560	
	Gross Combination Mass (GCM)	2 560	2 360	
	Maximum Mass On Front Axle	850	850	
	Maximum Mass On Rear Axle	840	840	
Trailer	Braked	1 000	800	
	Unbraked	750	750	
	Payload (Kg)	440	420	
	Roof Rack Load (Kg)	100	100	
DIMENSIONS				
Exterior (mm)	Overall Length	4 115	4 115	
	Overall Width	1 700	1 700	
	Overall Height - Excluding Roof Rails	1 457	1 457	
	Wheelbase	2 570	2 570	
	Ground Clearance	147	147	
Wheel Tread (mm)	Front	1 488	1 488	
	Rear	1 493	1 493	
Overhang (mm)	Front	820	820	
	Rear	725	725	
Interior (mm)	Head Room			
		Front Row	1 014	1 000
		Second Row	959	994
	Leg Room			
		Front Row	1 062	1 047
		Second Row	846	982
	Shoulder Room			
		Front Row	1 364	1 450
	Second Row	1 356	1 400	
Hip Room	Front Row	1 304	1 367	
	Second Row	1 198	1 336	
Cargo Area (L) - VDA	Behind Second Row (Boot Space)			
		370	370	

Accent Hatch

Accent 1.6 Fluid
5 Door Hatch
Petrol
6-spd Manual

Accent 1.6 Fluid
5 Door Hatch
Petrol
4-spd Automatic

STYLING FEATURES

Bumper Styling	Front	Body Colour	Body Colour
	Rear	Body Colour	Body Colour
Door Handles		Body Colour	Chrome
Front Grill Styling		Black / Chrome	Black / Chrome
Gear Lever Finish		Poly Urethane	Poly Urethane
Rear Spoiler		Body Colour	Body Colour
Side Mirrors		Body Colour	Body Colour
Metallic Paint		Optional	Optional

SEATS

Front Seats	Drivers Seat Adjustment			
	Slide	Manual	Manual	
	Recline	Manual	Manual	
	Height	Manual - Pump Type	Manual - Pump Type	
	Head Rests	Height Adjustable	Height Adjustable	
	Passenger Seat Adjustment			
	Slide	Manual	Manual	
	Recline	Manual	Manual	
	Head Rests	Height Adjustable	Height Adjustable	
	Seat Back Pockets	Standard	Standard	
	Second Row	Split Rear Seats	60/40	60/40
		Head Rests	3 X Height Adjustable	3 X Height Adjustable
Seating Configuration		2 Front / 3 Rear	2 Front / 3 Rear	
Seat Trim		High Grade Cloth	High Grade Cloth	
Anti-submarine		All	All	

SAFETY FEATURES

Airbags	Driver - Depowered	Standard	Standard
	Passenger - Depowered	Standard	Standard
	Side	Standard	Standard
	Curtain	Standard	Standard

Accent Hatch

Accent 1.6 Fluid
5 Door Hatch
Petrol
6-spd Manual

Accent 1.6 Fluid
5 Door Hatch
Petrol
4-spd Automatic

Body			
Crumple Zones		Front & Rear	Front & Rear
Side Impact Protection Beams		Standard	Standard
Uni-body Construction		Standard	Standard
Lights			
Delay Exiting On Interior lights		Standard	Standard
Fog lights		Front	Front
Headlight Type		Halogen MFR (Clear Type)Lamp	Halogen MFR (Clear Type)Lamp
High Mount Stop Light		Standard	Standard
Side Indicators		On Side Mirror	On Side Mirror
Seatbelt			
Front Seats			
	Seatbelt Type	2 x 3 Point Inertia Reel (ELR)	2 x 3 Point Inertia Reel (ELR)
	Pretensioner with Load Limiter	Standard	Standard
	Height Adjustable	Standard	Standard
	Not-Inserted Warning Indicator	Standard	Standard
Second Row			
	Seatbelt Type	2 x 3 Point Inertia Reel (ELR) 1 x Lap Strap	2 x 3 Point Inertia Reel (ELR) 1 x Lap Strap
Security			
Auto Locking Doors		Speed Sensitive 15km/h	Speed Sensitive 15km/h
Auto Unlocking Doors		On Key Removal	On Key Removal
Impact Sensing Door Unlock		Standard	Standard
Central Locking		Remote	Remote
Child Lock on Rear Doors		Standard	Standard
Inside Handle Override		Driver & Passenger	Driver & Passenger
Remote Keyless Entry		Standard	Standard
Transponder Immobiliser		Standard	Standard
Windscreen			
Front			
	Tinted	Standard	Standard
Rear			
	Demister	20 min timer	20 min timer
	Wiper & Washer	Standard	Standard

CONVENIENCE FEATURES

Accent Hatch

Accent 1.6 Fluid
5 Door Hatch
Petrol
6-spd Manual

Accent 1.6 Fluid
5 Door Hatch
Petrol
4-spd Automatic

		Accent 1.6 Fluid 5 Door Hatch Petrol 6-spd Manual	Accent 1.6 Fluid 5 Door Hatch Petrol 4-spd Automatic	
Ventilation	Air-Conditioner	Manual	Manual	
	Air Conditioner - Anti-bacterial Pollen Filter	Standard	Standard	
Audio system	Audio	Radio / CD / MP3	Radio / CD / MP3	
	Aux / iPod / USB Connection	Standard	Standard	
	Bluetooth	Standard	Standard	
	Antenna Location	Roof - Rear	Roof - Rear	
	No of Speakers	4 Speakers + 2 Tweeters	4 Speakers + 2 Tweeters	
Instrumentation	On-board Computer			
	Average Consumption	Standard	Standard	
	Average Speed	Standard	Standard	
	Distance To Empty	Standard	Standard	
	Driving Time	Standard	Standard	
	Instant Consumption	Standard	Standard	
	Trip Meter	Two Measurements	Two Measurements	
	Warning and Indicator			
	A/T Position Indicator	-	Standard	
	ABS	Standard	Standard	
	Battery Charge	Standard	Standard	
	Door Open	Graphic	Graphic	
	Boot Open	Graphic	Graphic	
	Brake Fluid Level	Standard	Standard	
	Check Oil	Standard	Standard	
	Direction Indicator	Standard	Standard	
	Fog Light	Front	Front	
	Headlight On	Auto Off	Auto Off	
	Low Fuel	Standard	Standard	
	Oil Pressure	Standard	Standard	
	Parking Brake	Standard	Standard	
	Digital Clock	Standard	Standard	
	Illumination Rheostat	Standard	Standard	
	Tachometer	Standard	Standard	
	Side Indicators: One Touch Triple Turn Signal	Standard	Standard	
	Courtesy Lights	Cabin	Standard	Standard

Accent Hatch

Accent 1.6 Fluid
5 Door Hatch
Petrol
6-spd Manual

Accent 1.6 Fluid
5 Door Hatch
Petrol
4-spd Automatic

	Cargo Area	Standard	Standard
	Map Reading	Driver & Passenger	Driver & Passenger
Rear View Mirrors			
	Side Mirrors		
	Adjustment	Electric	Electric
	Folding Function	Manual	Manual
	Heated	Standard	Standard
	Inside Rear View Mirror		
	Day Night Function	Standard - Manual	Standard - Manual
Window Operation			
	Front		
	Operation	Electric	Electric
	Electric Window Jam Protection	Driver	Driver
	One Touch Feature	Driver - Auto Up & Down	Driver - Auto Up & Down
	Rear		
	Operation	Electric	Electric
Windscreen Wipers			
	Front		
	2 Speed Settings	Standard	Standard
	Single Wipe Function	Standard	Standard
	Variable Intermittent Function	Standard	Standard
	Rear		
	Single Speed	Standard	Standard
	Washer	Standard	Standard
Storage Compartments			
	Front Armrest	Standard - 1 Compartment	Standard - 1 Compartment
	Glove Box	Standard	Standard
	Map Pockets: Door Panels	Front	Front
	Sunglass Holder	Standard	Standard
Luggage Compartments			
	Luggage Net	Standard	Standard
	Luggage Hooks	Standard	Standard
Sun Visor			
	Card Holder	Standard	Standard
	Vanity Mirror	Driver & Passenger	Driver & Passenger

Accent Hatch

**Accent 1.6 Fluid
5 Door Hatch
Petrol
6-spd Manual**

**Accent 1.6 Fluid
5 Door Hatch
Petrol
4-spd Automatic**

Doors	Side	4 Doors - Front Hinged	4 Doors - Front Hinged
	Rear	Lift Type - Tail Gate	Lift Type - Tail Gate
Cup Holders		Front	Front
Drivers Foot Rest		Standard	Standard
Mud Flaps		Front & Rear	Front & Rear
Park Assist		Rear Sensors	Rear Sensors
Power Sockets		Front Consol	Front Consol
Remote Boot Lid Unlock		On Key	On Key
Remote Fuel Flap Opener		Cable Type	Cable Type
Tinted Windows		All	All

WARRANTY & MAINTENANCE

Warranty	5 Year / 150 000 km Manufacturer's Warranty	5 Year / 150 000 km Manufacturer's Warranty
Perforation Warranty	5 Year / 160 000 km Manufacturer's Warranty	5 Year / 160 000 km Manufacturer's Warranty
Roadside Assistance	5 year / 150 000 km	5 year / 150 000 km
Service Plan	5 year / 90 000 km	5 year / 90 000 km
Service Intervals	15 000 km	15 000 km